



稳定的轴式卡箍专用于外壁平滑的重型软管

#### 特性

- 快速简便的固定
- 可反复使用的
- 防生锈
- 韧性强
- 符合RoHS 规定

#### 设计, 材料

1. 卡箍带: W1镀锌钢, W2不锈钢1.4016=AISI430, W4 不锈钢1.4301 =AISI 304
2. 螺丝: W1 镀锌钢, W2 不锈钢, W4不锈钢1.4301=AISI 304

#### 适用于软管

PROTAPE®: PUR 335 MHF FLAT, CU 335 MHF FLAT  
 AIRDUC®: PUR 356, 356 MHF REINFORCED, 355 CSH, 355 CSH REINFORCED, 355 REINFORCED, 357, 355 CSH ORANGE, 356 EC, 356 MHF, 356 INOX MHF, HT-PUR 356  
 BARDUC®: PVC 381, 382 INOX MHF-AS, 382 INOX MHF  
 SIL: 1+2  
 NEO: 1+2  
 NORPLAST®: 386 PUR-CU, PVC 380 GREEN, 379 GREEN SUPERELASTIC, 384, CU 384, 389 SUPERELASTIC, 387

| 紧固范围    | 带宽 | PU | 库存尺寸<br>订购代码<br>W1 |
|---------|----|----|--------------------|
| 毫米      | 毫米 | 个  |                    |
| 17-19   | 18 | 1  | 211-0021-0000      |
| 20-22   | 18 | 1  | 211-0023-0000      |
| 23-25   | 18 | 1  | 211-0025-0000      |
| 26-28   | 18 | 1  | 211-0029-0000      |
| 29-31   | 20 | 1  | 211-0031-0000      |
| 32-35   | 20 | 1  | 211-0034-0000      |
| 36-39   | 20 | 1  | 211-0040-0000      |
| 40-43   | 20 | 1  | 211-0043-0000      |
| 44-47   | 22 | 1  | 211-0047-0000      |
| 48-51   | 22 | 1  | 211-0051-0000      |
| 52-55   | 22 | 1  | 211-0055-0000      |
| 56-59   | 22 | 1  | 211-0059-0000      |
| 60-63   | 22 | 1  | 211-0063-0000      |
| 64-67   | 22 | 1  | 211-0068-0000      |
| 68-73   | 24 | 1  | 211-0073-0000      |
| 74-79   | 24 | 1  | 211-0079-0000      |
| 80-85   | 24 | 1  | 211-0085-0000      |
| 86-91   | 24 | 1  | 211-0091-0000      |
| 92-97   | 24 | 1  | 211-0097-0000      |
| 98-103  | 24 | 1  | 211-0104-0000      |
| 104-112 | 24 | 1  | 211-0112-0000      |
| 113-121 | 24 | 1  | 211-0121-0000      |
| 122-130 | 24 | 1  | 211-0130-0000      |
| 131-139 | 26 | 1  | 211-0140-0000      |
| 140-148 | 26 | 1  | 211-0150-0000      |
| 149-161 | 26 | 1  | 211-0162-0000      |
| 162-174 | 26 | 1  | 211-0174-0000      |
| 175-187 | 26 | 1  | 211-0187-0000      |
| 188-200 | 26 | 1  | 211-0200-0000      |
| 201-213 | 26 | 1  | 211-0213-0000      |
| 214-226 | 26 | 1  | 211-0226-0000      |
| 227-239 | 26 | 1  | 211-0239-0000      |
| 240-252 | 26 | 1  | 211-0252-0000      |

| 紧固范围    | 带宽 | PU | 库存尺寸<br>订购代码<br>W2 |
|---------|----|----|--------------------|
| 毫米      | 毫米 | 个  |                    |
| 17-19   | 18 | 1  | 211-0021-9200      |
| 20-22   | 18 | 1  | 211-0023-9200      |
| 23-25   | 18 | 1  | 211-0025-9200      |
| 26-28   | 18 | 1  | 211-0029-9200      |
| 29-31   | 20 | 1  | 211-0031-9200      |
| 32-35   | 20 | 1  | 211-0034-9200      |
| 36-39   | 20 | 1  | 211-0040-9200      |
| 40-43   | 20 | 1  | 211-0043-9200      |
| 44-47   | 22 | 1  | 211-0047-9200      |
| 48-51   | 22 | 1  | 211-0051-9200      |
| 52-55   | 22 | 1  | 211-0055-9200      |
| 56-59   | 22 | 1  | 211-0059-9200      |
| 60-63   | 22 | 1  | 211-0063-9200      |
| 64-67   | 22 | 1  | 211-0068-9200      |
| 68-73   | 24 | 1  | 211-0073-9200      |
| 74-79   | 24 | 1  | 211-0079-9200      |
| 80-85   | 24 | 1  | 211-0085-9200      |
| 86-91   | 24 | 1  | 211-0091-9200      |
| 92-97   | 24 | 1  | 211-0097-9200      |
| 98-103  | 24 | 1  | 211-0104-9200      |
| 104-112 | 24 | 1  | 211-0112-9200      |
| 113-121 | 24 | 1  | 211-0121-9200      |
| 122-130 | 24 | 1  | 211-0130-9200      |
| 131-139 | 26 | 1  | 211-0140-9200      |
| 140-148 | 26 | 1  | 211-0150-9200      |
| 149-161 | 26 | 1  | 211-0162-9200      |
| 162-174 | 26 | 1  | 211-0174-9200      |
| 175-187 | 26 | 1  | 211-0187-9200      |
| 188-200 | 26 | 1  | 211-0200-9200      |
| 201-213 | 26 | 1  | 211-0213-9200      |
| 214-226 | 26 | 1  | 211-0226-9200      |
| 227-239 | 26 | 1  | 211-0239-9200      |
| 240-252 | 26 | 1  | 211-0252-9200      |

| 紧固范围  | 带宽 | PU | 库存尺寸<br>订购代码<br>W4 |
|-------|----|----|--------------------|
| 毫米    | 毫米 | 个  |                    |
| 17-19 | 18 | 1  | 211-0021-9230      |
| 20-22 | 18 | 1  | 211-0023-9230      |
| 23-25 | 18 | 1  | 211-0025-9230      |
| 26-28 | 18 | 1  | 211-0029-9230      |
| 29-31 | 20 | 1  | 211-0031-9230      |
| 32-35 | 20 | 1  | 211-0034-9230      |
| 36-39 | 20 | 1  | 211-0040-9230      |
| 44-47 | 22 | 1  | 211-0047-9230      |
| 48-51 | 22 | 1  | 211-0051-9230      |
| 52-55 | 22 | 1  | 211-0055-9230      |
| 56-59 | 22 | 1  | 211-0059-9230      |
| 60-63 | 22 | 1  | 211-0063-9230      |
| 64-67 | 22 | 1  | 211-0068-9230      |
| 68-73 | 24 | 1  | 211-0073-9230      |
| 74-79 | 24 | 1  | 211-0079-9230      |
| 80-85 | 24 | 1  | 211-0085-9230      |
| 86-91 | 24 | 1  | 211-0091-9230      |
| 92-97 | 24 | 1  | 211-0097-9230      |

| 紧固范围    | 带宽 | PU | 库存尺寸<br>订购代码  |
|---------|----|----|---------------|
| 毫米      | 毫米 | 个  | W4            |
| 98-103  | 24 | 1  | 211-0104-9230 |
| 104-112 | 24 | 1  | 211-0112-9230 |
| 113-121 | 24 | 1  | 211-0121-9230 |
| 122-130 | 24 | 1  | 211-0130-9230 |
| 131-139 | 26 | 1  | 211-0140-9230 |
| 140-148 | 26 | 1  | 211-0150-9230 |
| 149-161 | 26 | 1  | 211-0162-9230 |
| 162-174 | 26 | 1  | 211-0174-9230 |
| 175-187 | 26 | 1  | 211-0187-9230 |
| 188-200 | 26 | 1  | 211-0200-9230 |
| 201-213 | 26 | 1  | 211-0213-9230 |
| 214-226 | 26 | 1  | 211-0226-9230 |
| 227-239 | 26 | 1  | 211-0239-9230 |
| 240-252 | 26 | 1  | 211-0252-9230 |

| 紧固范围  | 带宽 | PU | 库存尺寸<br>订购代码  |
|-------|----|----|---------------|
| 毫米    | 毫米 | 个  | W1            |
| 17-19 | 18 | 50 | 211-0021-9050 |
| 17-19 | 18 | 50 | 211-0021-9215 |
| 17-19 | 18 | 50 | 211-0021-9245 |
| 20-22 | 18 | 50 | 211-0023-9050 |
| 20-22 | 18 | 50 | 211-0023-9215 |
| 20-22 | 18 | 50 | 211-0023-9245 |
| 23-25 | 18 | 50 | 211-0025-9050 |
| 23-25 | 18 | 50 | 211-0025-9215 |
| 23-25 | 18 | 50 | 211-0025-9245 |
| 26-28 | 18 | 50 | 211-0029-9050 |
| 26-28 | 18 | 50 | 211-0029-9215 |
| 26-28 | 18 | 50 | 211-0029-9245 |
| 29-31 | 20 | 50 | 211-0031-9050 |
| 29-31 | 20 | 50 | 211-0031-9215 |
| 29-31 | 20 | 50 | 211-0031-9245 |
| 32-35 | 20 | 50 | 211-0034-9050 |
| 32-35 | 20 | 50 | 211-0034-9215 |
| 32-35 | 20 | 50 | 211-0034-9245 |
| 36-39 | 20 | 50 | 211-0040-9050 |
| 36-39 | 20 | 50 | 211-0040-9215 |
| 36-39 | 20 | 50 | 211-0040-9245 |
| 40-43 | 20 | 50 | 211-0043-9050 |
| 40-43 | 20 | 50 | 211-0043-9215 |
| 40-43 | 20 | 50 | 211-0043-9245 |
| 44-47 | 22 | 50 | 211-0047-9050 |
| 44-47 | 22 | 50 | 211-0047-9215 |
| 44-47 | 22 | 50 | 211-0047-9245 |
| 48-51 | 22 | 50 | 211-0051-9050 |
| 48-51 | 22 | 50 | 211-0051-9215 |
| 48-51 | 22 | 50 | 211-0051-9245 |
| 52-55 | 22 | 25 | 211-0055-9025 |
| 52-55 | 22 | 25 | 211-0055-9210 |
| 52-55 | 22 | 25 | 211-0055-9240 |
| 56-59 | 22 | 25 | 211-0059-9025 |
| 56-59 | 22 | 25 | 211-0059-9210 |
| 56-59 | 22 | 25 | 211-0059-9240 |
| 60-63 | 22 | 25 | 211-0063-9025 |
| 60-63 | 22 | 25 | 211-0063-9210 |

| 紧固范围    | 带宽 | PU | 库存尺寸<br>订购代码<br>W1 |
|---------|----|----|--------------------|
| 毫米      | 毫米 | 个  |                    |
| 60-63   | 22 | 25 | 211-0063-9240      |
| 64-67   | 22 | 25 | 211-0068-9025      |
| 64-67   | 22 | 25 | 211-0068-9210      |
| 64-67   | 22 | 25 | 211-0068-9240      |
| 68-73   | 24 | 25 | 211-0073-9025      |
| 68-73   | 24 | 25 | 211-0073-9210      |
| 68-73   | 24 | 25 | 211-0073-9240      |
| 74-79   | 24 | 25 | 211-0079-9025      |
| 74-79   | 24 | 25 | 211-0079-9210      |
| 74-79   | 24 | 25 | 211-0079-9240      |
| 80-85   | 24 | 25 | 211-0085-9025      |
| 80-85   | 24 | 25 | 211-0085-9210      |
| 80-85   | 24 | 25 | 211-0085-9240      |
| 86-91   | 24 | 25 | 211-0091-9025      |
| 86-91   | 24 | 25 | 211-0091-9210      |
| 86-91   | 24 | 25 | 211-0091-9240      |
| 92-97   | 24 | 25 | 211-0097-9025      |
| 92-97   | 24 | 25 | 211-0097-9210      |
| 92-97   | 24 | 25 | 211-0097-9240      |
| 98-103  | 24 | 25 | 211-0104-9025      |
| 98-103  | 24 | 25 | 211-0104-9210      |
| 98-103  | 24 | 25 | 211-0104-9240      |
| 104-112 | 24 | 25 | 211-0112-9025      |
| 104-112 | 24 | 25 | 211-0112-9210      |
| 104-112 | 25 | 25 | 211-0112-9240      |
| 113-121 | 24 | 25 | 211-0121-9025      |
| 113-121 | 24 | 25 | 211-0121-9210      |
| 113-121 | 24 | 25 | 211-0121-9240      |
| 122-130 | 24 | 25 | 211-0130-9025      |
| 122-130 | 24 | 25 | 211-0130-9210      |
| 122-130 | 24 | 25 | 211-0130-9240      |
| 131-139 | 26 | 10 | 211-0140-9010      |
| 131-139 | 26 | 10 | 211-0140-9205      |
| 131-139 | 26 | 10 | 211-0140-9235      |


我们可提供其他直径产品。所有指定的数值都是近似值，数字均在20℃摄氏度下取得，会根据实际使用环境情况而变化。请参阅我们的技术附录 [www.norres.com](http://www.norres.com)。

## 附件



13.14.0

CONNECT 223



13.18.0

CONNECT 270-271